



**FACULTY OF  
NON-FERROUS  
METALS**





**FACULTY OF  
NON-FERROUS  
METALS**



**FACULTY OF  
NON-FERROUS METALS**




**FACULTY OF NON-FERROUS METALS**



**RAL 3012 - Beige Red**  
RGB 198, 132, 109  
CMYK 0, 50, 50, 20  
HEX #c6846d



**RAL 7045 - Telegray 1**  
RGB 141, 146, 149  
CMYK 5, 0, 0, 45  
HEX #8d9295



**RAL 9003 - Signal White**  
RGB 236, 236, 231  
CMYK 0, 0, 0, 0  
HEX #ffffff

---



FACULTY OF  
NON-FERROUS  
METALS



FACULTY OF  
NON-FERROUS METALS




FACULTY OF NON-FERROUS METALS



RAL 3012 - Beige Red  
RGB 198, 132, 109  
CMYK 0, 50, 50, 20  
HEX #c6846d



RAL 7045 - Telegray 1  
RGB 141, 146, 149  
CMYK 5, 0, 0, 45  
HEX #8d9295



RAL 9003 - Signal White  
RGB 236, 236, 231  
CMYK 0, 0, 0, 0  
HEX #ffffff

---



**FACULTY OF  
NON-FERROUS  
METALS**



**FACULTY OF  
NON-FERROUS METALS**



**FACULTY OF NON-FERROUS METALS**



**RAL 3012 - Beige Red**  
RGB 198, 132, 109  
CMYK 0, 50, 50, 20  
HEX #c6846d



**RAL 7045 - Telegray 1**  
RGB 141, 146, 149  
CMYK 5, 0, 0, 45  
HEX #8d9295



**RAL 5011 - Steel blue**  
RGB 39, 34, 64  
CMYK 100, 100, 60, 30  
HEX #272240

---



**RAL 3012 - Beige Red**  
RGB 198, 132, 109  
CMYK 0, 50, 50, 20  
HEX #c6846d



**RAL 7045 - Telegray 1**  
RGB 141, 146, 149  
CMYK 5, 0, 0, 45  
HEX #8d9295



**RAL 5011 - Steel blue**  
RGB 39, 34, 64  
CMYK 100, 100, 60, 30  
HEX #272240

---




**FACULTY OF  
NON-FERROUS  
METALS**



**FACULTY OF  
NON-FERROUS METALS**



**FACULTY OF NON-FERROUS METALS**



**RAL 9003 - Signal White**  
RGB 236, 236, 231  
CMYK 0, 0, 0, 0  
HEX #ffffff



**RAL 5011 - Steel blue**  
RGB 39, 34, 64  
CMYK 100, 100, 60, 30  
HEX #272240

---




**FACULTY OF  
NON-FERROUS  
METALS**



**FACULTY OF  
NON-FERROUS METALS**



**FACULTY OF NON-FERROUS METALS**



**RAL 9003 - Signal White**  
RGB 236, 236, 231  
CMYK 0, 0, 0, 0  
HEX #ffffff



**RAL 5011 - Steel blue**  
RGB 39, 34, 64  
CMYK 100, 100, 60, 30  
HEX #272240

---




**FACULTY OF  
NON-FERROUS  
METALS**




**FACULTY OF  
NON-FERROUS METALS**



**FACULTY OF NON-FERROUS METALS**



**RAL 9003 – Signal White**  
RGB 236, 236, 231  
CMYK 0, 0, 0, 0  
HEX #ffffff



**RAL 9005 – Jet Black**  
RGB 14, 14, 16  
CMYK 100, 40, 50, 90  
HEX #0e0e10

---






**FACULTY OF  
NON-FERROUS  
METALS**




**FACULTY OF  
NON-FERROUS METALS**



**FACULTY OF NON-FERROUS METALS**




**RAL 9003 – Signal White**  
RGB 236, 236, 231  
CMYK 0, 0, 0, 0  
HEX #ffffff



**RAL 9005 – Jet Black**  
RGB 14, 14, 16  
CMYK 100, 40, 50, 90  
HEX #0e0e10

---



# WYDZIAŁ METALI NIEŻELAZNYCH

## FONTS

Tanohe Sans Thin AaBbCcDdEeFfGgHhIiJjKkLl

Tanohe Sans Thin | 569 Glyphs

*Tanohe Sans Thin Italic AaBbCcDdEeFfGgHhIiJjKkLl*

Tanohe Sans Thin Italic | 569 Glyphs

Tanohe Sans Light AaBbCcDdEeFfGgHhIiJj

Tanohe Sans Light | 569 Glyphs

*Tanohe Sans Light Italic AaBbCcDdEeFfGgHhIiJjKkLl*

Tanohe Sans Light Italic | 569 Glyphs

Tanohe Sans AaBbCcDdEeFfGgHhIiJjKkLl

Tanohe Sans Regular | 569 Glyphs

*Tanohe Sans Italic AaBbCcDdEeFfGgHhIiJjKkLl*

Tanohe Sans Italic | 569 Glyphs

Tanohe Sans Medium AaBbCcDdEeFfGgHhIiJjKkLl

Tanohe Sans Medium | 569 Glyphs

*Tanohe Sans Medium Italic AaBbCcDdEeFfGgHhIiJjKkLl*

Tanohe Sans Medium Italic | 569 Glyphs

**Tanohe Sans SemiBold AaBbCcDdEeFfGgHhIiJjKkLl**

Tanohe Sans SemiBold | 569 Glyphs

***Tanohe Sans SemiBold Italic AaBbCcDdEeFfGgHhIiJjKkLl***

Tanohe Sans SemiBold Italic | 569 Glyphs

**Tanohe Sans Bold AaBbCcDdEeFfGgHhIiJjKkLl**

Tanohe Sans Bold | 569 Glyphs

***Tanohe Sans Bold Italic AaBbCcDdEeFfGgHhIiJjKkLl***

Tanohe Sans Bold Italic | 569 Glyphs

**Tanohe Sans Black AaBbCcDdEeFfGgHhIiJjKkLl**

Tanohe Sans Black | 569 Glyphs

***Tanohe Sans Black Italic AaBbCcDdEeFfGgHhIiJjKkLl***

Tanohe Sans Black Italic | 572 Glyphs

użyta czcionka : Tanohe Sans  
SemiBold

Bezseryfowy, dość wąski font, który dobrze sprawdzi się zarówno w nagłówkach, jak i podczas projektowania dłuższych tekstów. Posiada 7 grubości w wersji zwykłej i pochylonej.

aąbcćdeęfghijklłmnńoóprśstuvwxzż  
AĄBCĆDEEFGHIJKLŁMNŃOÓPRŚSTUVWXYZŻ  
1234567890.,:;!/?)+-/=

### Licencja fontów

Udostępnione w dzisiejszym zestawieniu fonty, przy których nie znajduje się inny zapis, podlegają licencji SIL Open Font License, która pozwala na darmowe wykorzystywanie zarówno w projektach komercyjnych jak i niekomercyjnych. Więcej o tej i innych licencjach przeczytajcie w tym artykule.



**miedź**



**aluminium**



Symbolika logotypu: Główną inspirację stanowiła nazwa Wydziału Metali Nieżelaznych oraz wygląd płytek metali. Kolorystyka jest inspirowana miedzią i aluminium.

---